No.



8000016

# Cebeco-Hundelsrund

Colhereus, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED to be entitled to a certificate of plant variety protection under the LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-UDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, APORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. INITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

PEA

'Maxi'

In Lestimony Withercot, I have hexeunto set my hand and caused the seal of the Elant Tariety Protection Office to be affixed at the City of Washington

this 24th

day of March the year of our Lord one thousand nine

hundred and eighty-three.

No.



8000016

# HHE UNIKHED STAVIES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Gebeco-Handelsraad

Tothereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXPORTING IT, OR EXPORTING IT, OR OFFERING IT FOR SALE, OR REPRODUCING IT, PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT OF THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2121 ET SEQ.)

PEA

'Maxi'

In Lestimony Winercot, I have hereunto set my hand and caused the seal of the Plant Taxisty Protection Office to be affixed at the City of Washington

this 24th day of March in the year of our Lord one thousand nine hundred and eighty-three.

John R Black

Socrotary of Agriculture

Allost

Kenneth HE

Commissioner Plant Variety Protection Office Gain Division

Stain Insisson Agricultural Marketing Service

UNITED STATES DEPARTME	NT OF AGRICULTUR	E		FORM APPROVED		
LIVESTOCK, POULTRY, GRA	AIN & SEED DIVISION		No certificate for pla	OMB NO, 40-R3822 ant variety protection may		
APPLICATION FOR PLANT VARIE INSTRUCTIONS: See Reverse,	TY PROTECTIO	N CERTIFICATE	be issued unless a co has been received (5	ompleted application form		
1a. TEMPORARY DESIGNATION OF VARIETY	1b, VARIETY NAM	167		IAL USE ONLY		
Cebeco 102	MAX	$\mathcal{I}$	PV NUMBER 80	000016		
2. KIND NAME	3. GENUS AND SPE	CIES NAME	FILING DATE	TIME A.M.		
Pea	Pisum sati	vum L.	11-29-79 FEE RECEIVED	9:00 P.M.		
4. FAMILY NAME (BOTANICAL)  Leguminoseae	5. DATE OF DETE	RMINATION	\$ 500.00	11-29-79		
neguminoseae	January	1977	\$ <u>250.00</u>	2-16-83		
6. NAME OF APPLICANT(S)	Code) Code					
Cebeco-Handelsraad	Blaak 3	31, P.O. Box 1 lam, The Nethe		CODE AND NOMBER		
9. IF THE NAMED APPLICANT IS NOT A PE ORGANIZATION: (Corporation, partnersh	RSON, FORM OF ip, association, etc.)	10. IF INCORPORATE	ED, GIVE STATE AND	11. DATE OF INCOR-		
Corporation						
12. NAME AND MAILING ADDRESS OF APP ALL PAPERS:	LICANT REPRESENT					
Dr. Kevin McVeigh, Res		P.O. Box	tional Seeds, x 168	inc.		
Phone: (503)  13. CHECK BOX BELOW FOR EACH ATTACH			OR 97348	N		
I 13A. Exhibit A, Origin and Bree	•	Voriety (See Section 6	12 of the Dlant Waster			
X 13B. Exhibit B, Novelty Statem		variety (See Section 3	2 of the Plant Variety	y Protection Act.)		
13C. Exhibit C, Objective Descr		(Request form from	Plant Varioty Protect	ion Office \		
13D. Exhibit D, Additional Des			rumi variety Frotect	ion Ojjice.j		
14a. DOES THE APPLICANT(S) SPECIFY THA SEED? (See Section 83(a). (If "Yes," answer	F SEED OF THIS VAR er 14B and 14C below.)	IETY BE SOLD BY VAF		A CLASS OF CERTIFIED		
14b. DOES THE APPLICANT(S) SPECIFY THA LIMITED AS TO NUMBER OF GENERATI	T THIS VARIETY BE ONS?	14c. IF "YES," TO 14E TION BEYOND B	B, HOW MANY GENER.	ATIONS OF PRODUC-		
X YES NO R/S		FOUNDATION		CERTIFIED		
15a. DID THE APPLICANT(S) FILE FOR PROT name of countries and dates.)	ECTION OF THIS VA	RIETY IN OTHER COUN	TRIES? X YES	NO (If "Yes," give		
The Nether	lands - 26-1-	1977				
15b. HAVE RIGHTS BEEN GRANTED THIS VA	DIETY IN OTHER CO	ANTENED TIME				
and dates.)	MIETY IN OTHER CO	ONTHIES? [] YES	X NO (1f "Yes,"	give name of countries		
				•		
		The second second				
16. DOES THE APPLICANT(S) AGREE TO THE JOURNAL?	E PUBLICATION OF H	IIS/HER (THEIR) NAME	(S) AND ADDRESS IN	THEOFFICIAL		
17. The applicant(s) declare(s) that a viable replenished upon request in accordance	sample of basic seed with such regulation	d of this variety will be ns as may be applicabl	e furnished with the a	pplication and will be		
The undersigned applicant(s) is (are) the variety is distinct, uniform, and stable at 42 of the Plant Variety Act.	e owner(s) of this se	xually reproduced nov	vel plant variety, and l	believe(s) that the provisions of Section		
Applicant(s) is (are) informed that false	representation here	in can jeopardize prot	ection and result in p	enalties.		
Rotterdam, August 2 , 1979		Nationale d	ooperatieve aan- en v	Prkoop		
(DATE)	e de la Colonia	vereniging	SPAUL SE SE PRINT ARPA	CANT) IW b.a. 89		
			O-HANDELSI			

### INSTRUCTIONS

GENERAL: Send an original copy of the application and exhibits, at least 2,500 viable seeds, and \$500 fee (\$250 filling fee and \$250 examination fee) to U.S. Dept. of Agriculture, Agricultural Marketing Service, Livestock, Poultry, Grain and Seed Division, Plant Variety Protection Office, National Agricultural Library Building, Beltsville, Maryland 20705. (See section 180.175 of the Regulations and Rules of Practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

OF AGRICULTURE

### **ITEM**

- Give the date the applicant determined that he had a new or variety based on (1) the definition in section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) the details of subsequent stages of selection and multiplication; (3) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4) evidence of uniformity and stability.
- Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties:

  (1) identify these varieties and state all differences objectively; (2) attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- Fill in the Exhibit C, Objective Description form, for all characteristics for which you have adequate data.
- Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe, such as, plant habit, plant color, disease resistance, etc.
- If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled, his decision published, or the certificate has been issued. However, if the applicant specified "NO," he may change his choice. (See section 180.16 of the Regulations and Rules of Practice.)
- See section 42 of the Plant Variety Protection Act and section 180.7 of the Regulations and Rules of Practice.

# CEBECO 102 - MAXI (GREEN PEA)

### Exhibit "A"

13 A. CEBECO 102 field pea is derived from a cross made in 1970 by CEBECO-HANDELSRAAD of Allround x Finale. Single plant selections were made from the segregating populations in the early generations with the last single plant selection made in 1975. The variety is highly stabile and there are no variants. The maintenence of the pure line variety is done through the following techniques:

- 1. line selection at the breeding station.
- 2. small multiplication at the breeding station.
- 3. producing pre-basic seed at the breeding station.

These steps are used to maintain the varietal purity of this self-poll-inated bean cultivar.

# PEA APPLICATION NO. 8000016 ''Maxi'' (Green Pea)

### EXHIBIT ''A'' Addendum

13A. Maxi is a highly stable self-pollinated cultivar. Commercial seed production is based on an advanced generation seed source that is very uniform genetically as would be expected from an F-10 generation. It is almost completely genetically homozygous because of the self-pollinated method of reproduction of peas and its highly inbred condition.

It is genetically stable with no known variants. In replicated progeny grow-out trials at Halsey, Oregon and in The Netherlands, there were no variants expressed in any of the 1000 seedlings observed and evaluated during the growing trials of 1980 and 1981. Therefore, it can be stated that there are no known variants in this cultivar.



# INTERNATIONAL SEEDS INC.

P.O. BOX 168 • 820 FIRST STREET HALSEY, OREGON 97348 (503) 369-2251 • TWX (510) 590-0765

EXHIBIT B

9 April 1982

Mr. Kenneth H. Evans
Acting Commissioner
Plant Variety Protection Office
U.S.D.A.
Agricultural Marketing Service
N.A.L. Building
Beltsville, MD 20705

Dear Mr. Evans:

Enclosed is additional data for our Plant Variety Protection application No. 8000016, Maxi field pea.

Maxi is a distinct cultivar of field pea. It has been evaluated at several experiment stations in the major dry pea growing areas of this country as well as in Europe. I will be citing some test data from these evaluations (copies enclosed) to substantiate my novelty claim.

Maxi is characterized by having a dwarf stature, determinate growth habit, very large size seed and a green cotyledon. It is most similar to Finale, a green pea, which was bred by CEBECO earlier. Finale is the paternal parent in the cross that yielded the Maxi pea. It can be distinguished from Finale by several quantitative characteristics. Maxi is a larger size, heavier seed being 3% heavier or 11.9g heavier per 100 seeds. Maxi flowers 2 days later than Finale and is taller in stature - both in length of straw and height of first pod than Finale.

Maxi is resistant to race 6 of the pea wilt incited by <u>Fusarium oxysporium</u> f. sp. pisi whereas, Finale is susceptible in trials at Mt. Vernon, Washington (see Table 2). Races 5 and 6 of this pathogen are peculiar to the major pea growing area of Northwest Washington state and are not known to be found in Europe or in the eastern pea areas of the U.S.A.

Maxi can be distinguished from Allround, an earlier CEBECO bred smooth green pea, by its larger sized, heavier seed being 16% heavier or 51g. heavier per 100 seeds. Maxi flowers for a shorter time period (2 days) than does Allround. Allround is a considerably taller cultivar being 15% or 10 cm taller than Maxi in tests at Lelystad, The Netherlands.

In the original application I primarily compared the Maxi pea to the green processing (vegetable) peas used in the Form GR470-15, Exhibit C, of the pea form. This includes the cultivars Alaska WR, Thomas Laxton WR, Little Marvel, Wando, Alderman WR and the Austrian winter pea.

# 8000016

I did this because I believed that they were the ones that one had to use as standards. However, in later trials, I have compared it to other cultivars including the principal dry peas currently grown in the U.S.A. I have revised my earlier table and submit it now as Table 3. It compares Maxi with the green processing peas listed in GR470-14. The seed weight per 1000 seeds and the plant height clearly show the differences between Maxi and the American canning peas such as Alaska 423, Little Marvel, Wando, Alderman and Thomas Laxton. Maxi distinguishes itself from Thomas Laxton by seed weight, straw length, earlier flowering and its green smooth seed surface, whereas, Thomas Laxton is a yellow wrinkled seed. The other canning peas - Alaska 423, Little Marvel, Wando and Alderman - are all green wrinkled peas, whereas, Maxi is a green smooth pea.

I feel these distinct differences show Maxi to be a unique and distinct dry field pea cultivar. I respectfully submit this data for your review.

Yours truly,

Kevin J. McVeigh

Research Agronomist

enc.

cr

PEA APPLICATION NO. 8000016 - MAXI PEA

Characteristics of Selected Field Pea Cultivars at Lelystad, The Netherlands in 1981 Table 1.

	11.975 g	4.040 cm	3.641 cm	0.466 day	0.503 day	L.S.D. (.05)
Resistant	355	38	99	2 Aug.	11 July	Finale
Resistant	369	41	64	2 Aug.	13 July	Maxi
Resistant	318	36	74	4 Aug.	13 July	Allround
Susceptible	. I 1 1	53	96	8 Aug.	15 July	Vercas
Disease Reactio To Race 1 Of Fusarium oxyspo f. sp. pisi	Weight of 1000 seeds (g)	Height of Insertion of First Pod (cm)	Length of Straw (cm)	Last Date of Flowering	Initial Date of Flowering	Field Pea Cultivar

# PEA APPLICATION NO. 8000016 - MAXI PEA

Reaction of Selected Lines and Differential Varieties to Races 5 and 6 of <u>Fusarium oxysporium</u> f. sp. pisi at Mt. Vernon, WA in 1981 Table 2.

Selected Lines	Wilt React	tion
and Cultivars	Race 5	Race 6
Porta	S	R
Maxi	SR	R
Finale	SR	S
Proco	S	SR-T
Paloma	S	R
Little Marvel	S	S
Darkskin perfection	S	S
New Era	S	S
New Season	S	R
WSU 23	R	S
WSU 28	R	R
WSU 31	R	R
R= Resistance	SR=Segregating fo	or Resistance
S= Susceptible	T =Tolerant	

PEA APPLICATION NO. 8000016 - MAXI PEA

Comparison of Maxi to Standard U.S. Cultivars of Processing Peas in Holland in 1979-80. Table 3.

Seed Surface	Smooth	Smooth	Wrinkled	Wrinkled	Wrinkled	Wrinkled	Wrinkled	
Seed Color Dry	Green	Yellow	Green	Green	Green	Yellow	Yellow	
Flowering ** (date of 1st flower)	3 June	4 June	23 May	27 May	6 June	6 June	25 May	0.406 day
Plant Height ** in cm.	64***	99	92	63	62	155	122	6.14cm
1000 Grain * Weight in Grams	351***	356	213	260	259	246	269	9.34g
Cultivar	Maxi	Miranda	Alaska 423	Little Marvel	Wando	Alderman	Thomas Laxton	L.S.D. (.05)

<sup>) 2</sup> years average

<sup>\*\*)</sup> data collected in 1980

<sup>\*\*\*) 4</sup> years average

<sup>\*\*\*\*) 5</sup> years average

# PEA APPLICATION NO. 8000016 - MAXI PEA

Table 4. Characteristics of Selected Field Pea Cultivars at Pullman, WA, 1981 Growing Trial.

Field Pea Cultivar	Seed Weight (g) 100 seeds	Plant Height (cm)	Nodes to First Bloom
Maxi	26.4	78	11.8
Finale	27.3	55	11.8
Miranda	29.4	79	10.8
Paloma	24.0	63	13.8
Alaska	15.0	115	8.0
Alaska (sel. normal)	15.0	105	9.0
Garfield	19.3	125	14.0
Latch	18.4	136	13.3
Tracer	14.8	120	12.5
L.S.D. (0.5	0.51	5.7	0.43

# NORTHWESTERN WASHINGTON RESEARCH AND EXTENSION UNIT WASHINGTON STATE UNIVERSITY

8000016

MOUNT VERNON, WASHINGTON 98273

424-6121

January 14, 1982

Dr. Kevin J. McVeigh Research Agronomist International Seeds, Inc. P.O. Box 168 Halsey, OR 97348

Dear Kevin:

The table below lists the field reaction of several varieties of peas to <u>Fusarium oxysporum</u> f sp. <u>pisi</u>, races 5 and 6. The data presented in the table is based on the field reaction of these selection in 1981. In both of the field locations the differential varieties were planted to establish that race 5 and 6 were the predominant races of fusarium in that specific location.

Additional data will be obtained on the specific resistance of the dry peas listed in the table on page 2 with respect to resistance to races 1, 2, 5, and 6. This information will be obtained with pure culture inoculations in the greenhouse. When this data is available, I will foward it to you.

If you have questions with respect to the reaction of the varieties in questions, please contact me.

Reaction of WSU Differential Varieties to <u>Fusarium oxysporum</u> f sp. pisi. Resistance to the wilt is determined by a single dominant gene.

Wilt Resistance
io resistance
Race I
Race I, 2
Race 1, 2, 6
Race 1, 2, 5
Race 1, 5, 6
Race 1, 2, 5, 6

Dr. Kevin J. McVeigh January 14, 1982

Page 2

Reaction of Selected Lines and WSU Differential Varieties to Races 5 and 6 of Fusarium oxysporum f sp pisi.

Selected	Wilt Reaction	WSU	Wilt	Reaction
Lines	Race 5 Race 6	Differential	Race	5 Race 6
Porta	S- S	LM	S	S
Maxi	SR R	DSP	S	S
Finale	SR S	NE	S	<b>S</b>
Proco	S SR-T	NS	S	R
Paloma	S R	W23	R	S
		W28	R	R
		W31	R	R

R = Resistance

SR = Segregating for Resistance
T = Tolerant

S = Susceptible

Sincerely,

William A. Haglund

Plant Pathologist

WAH: jh

P. 6

FORM GR-470-14 (5-15-74)

# UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

EXHIBIT C (Pea)

3 = LAVENDER

# GRAIN DIVISION HYATTSVILLE, MARYLAND 20782 OBJECTIVE DESCRIPTION OF VARIETY

PEA (PISUM SATIVUM)	
Cebeco-Handelsraad	VARIETY NAME OR TEMPOHARY DESIGNATION
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	Maxi (Cebeco 102)
Blaak 31, P.O.B. 182, 3000 AD ROTTERDAM,	FOR OFFICIAL USE ONLY
The Netherlands.	PVPO NUMBER 8000016
Place the appropriate number that describes the varietal character in the boxes below	
Place a zero in first box (e.s. 0 8 9 or 0 9 ) when number is either 99 or less	
1. TYPE:	
2 1 = GARDEN 2 = FIELD 3 = EDIBLE-PODDED	
2. MATURITY: trials in Lely	rstad
No. of days to processing	Heat Units
No. of days Earlier than	S LAXTON WR 3 = LITTLE MARVEL
0 5 No. of days Later than 2 4 = WANDO 5 = ALDERMAN W	VR 6 = AUSTRIAN WINTER
3. PLANT HEIGHT:	
073 cm. High 5 year average	
0 9 Cm. Shorter than	S LAXTON WR 3 = LITTLE MARVEL
1 0 Cm. Taller than	/R 6 = AUSTRIAN WINTER
4. VINE:	
	= SLIM (Alaska) 3 = HEAVY (Alderman) = MEDIUM (Thomas Laxton WR)
Branching: 1 = NONE (Alaska) 2 - 1 - 2 BRANCHES (Little Marvel) 3 = MOR	E THAN 2 BRANCHES (Dwarf Gray Sugar
2 Internodes: 1 = STRAIGHT 2 = ZIG ZAG 2 0 NUMBER 0	FNODES
5. LEAFLETS:	
1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Laxton WR  4 = OTHER (Specify) Little Marvel	) 3 = DARK GREEN (Alderman)
3 Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 1 = NOT MARE	BLED 2 = MARBLED (Alaska)
	HREE OR MORE
6. STIPULES:	*
2 1 = LACKING 2 = PRESENT 2 1 = NOT CLASE	
2 1 = NOT MARBLED 2 = MARBLED 3 Size (Compared	1 = SMALLER 2 = SAME with leaflets): 3 = LARGER
2 Color (Compared with leaflets): 1 = LIGHTER 2 = SAME 3 = DARKER	12
7. FLOWER COLOR:	

[7]	1 = STRA Shape: 3 = CURV		1 1	End: 1 = POINTED (Alderm	an) 2 = Rt (INT /Alaska)
	1 = LIGH	T GREEN (Alaska WR) 2 = MED	2 DIUM GREEN		
2	Color: 4 = OTHE	R (Specify) <u>Littla Ma</u> j	rvel		
1	Surface: 1 = SM	100TH 2 = ROUGH	2	Surface: 1 = SHINY	2 = DULL
2	1 = SIN Borne: 5 = DC	NGLE 2 = DOUBLE 3 = S	INGLE AND	DOUBLE 4 = SINGLE, DO	OUBLE, & TRIPEE
		OUBLE & TRIPLE 6 = TRIPLE	7 = 011	IER (Specify)	
8 2	ZOWE LENGTH		1 5	MM. WIDTH (Between sutures)	0 6 NO. SEEDS PER POD
9. SEEDS	(95-100 Tenderom	eter):			
1	Color: 1 =	LIGHT GREEN 2 = GREEN	3 = DARK	GREEN 4 = OTHER (Specifi	y)
		2 3 4	5	67	8 AVERAGE
Seive: %					
SEEDS (I	Dry, Mature):				
	haner 3 1 = €t A	TTENED 2 = ANGULAR	3 = OVAL	4 = ROUNDED	
4 "		TIENED 2 ANOUGH)	JOTAL	1 1100110110	
			(		
1 5	urface: 1 = SMO 3 = WRⅡ	· ·	2	Surface: 1 = SHINY	2 = DULL
	Color Pattern:	1 = MONOCOLOR 2 = MOTTL	.ED 3=	STRIPED 4 = DOTTED	
6 F	Primary Color:	1 = CREAMY-WHITE 2 = CRE	EAM & GREI	EN 3 = LIGHT GREEN 4	= MEDIUM GREEN
		5 = DARK GREEN 6 = BLUE-	-GREEN	7 = YELLOW 8 = BROWN	1 9=RED
s	Secondary Color:	10 = GRAY 11 = BLACK			
<del></del>					
1.	lilum Floor Color:	1 ≈ WHITE 2 = TAN 3 ≈ BLACK	1	Cotyledon Color: 1 = GREE	N 2 = YELLOW 3 = QRANG
1	Turk Aviit Turk Aviit	· ·	ليسينا		
3 5	GRAMS PER 100	seeds 5 year average		•	
ķ.					
10. DISEA	SE: (0 = Not Tested	; 1 = Susceptible; 2 = Resistant)		•	
2 F	USARIUM WILT		. 0	NEAR-WILT	1 DOWNY MILDEW
	SCOCHYTA BLIGH	T .		POWDERY MILDEW	O BACTERIAL BLIGHT
lament.	IOSAIC .				
	IOBAIC		[0]	PEA ENATION MOSAIC	YELLOW BEAN MOSAIC
0	THER (Specify)			<del></del>	
11. INSECT	F: (O= Not Tested; 1	1 = Susceptible; 2 = Resistant)			
1 A	PHIDS			OTHER (Specify)	
	TE WHICH VARIE	TY MOST CLOSELY RESEMBLES	THAT SUBM	MITTED	
*	CHARACTER	NAME OF VARIETY		CHARACTER	NAME OF VARIETY
(84	eafiness	Thomas Laxton		Fresh Seed Color	Wando
	eaf Color od Color	Little Marvel Little Marvel		Mature Seed Color	Alaska Alaska
	od Shape	Little Marvel		Seed Shape Plant Habit	Wando

Plant Habit

13

#### MAXT - RING Deg.

Characteristics of the variety supporting de application.

EXHIBIT D

References:

Variety name and Breeder's number

Name and address of Breeder.

Cebeco-Handelsraad. Blaak 31 P.O. Box 182

3000 AD ROTTERDAM. The Netherlands.

Applications in other countries. On the Nat. List in the Netherlands.

entered in official trials in:

United Kingdom: France

MAXI. (Cebeco 102)

Origin.

Crossing Allround x Finale, in 1970

Breeding history of the variety.

Two extra generations of the population conducted in the greenhouse, plant selec-

tion in 1972; reselection in 1974

Type: ( State for what purpose it is

normaly utilised.)

Edible pea; Field-pea.

Flowering.

Number of node of the first flower.

Number of days from sowing to the

first inflorescence.

73 days ( 5 year average)

Plant height: total length.

relative to control variety.

10 cm taller than Little Mervel.

Vine: habit

Vine: stockiness.

Vine:

internode.

Vine:

branching.

Vine:

number of nodes.(total)

Leaflets: color.

Leaflets: glaucosity.

Leaflets: number of leaflet pairs.

Stipules: absent or present

Stipules: clasping - not clasping.

Stipules: marbled or not marbled.

Stipules: color.

Stipules: size.

Flower: color of standard.

color of wings.

color of the keel.

shape of base of standard.

Pods:

shape.

color.

surface.

borne.

73 cm. (5 year average)

determinate.

medium.

14

zig-zag.

medium tot strong.

20 - 23

rather dark green.

rather strong to strong.

till 3 pairs

present.

clasping.

medium marbled.

the same color as leaflets.

bigger than leaflets.

white.

white.

white with creamy-green venation.

slightly tot medium curved.

straight and blunt.

medium green.

smooth and dull.

double.

14

82 mm. Pods: length. width. 15 mm. 6.1 (average) no. seeds per pod. Seeds: color ( dry) bluish-green. light yellowish-green. color ( in green podded stage) rounded. shape. surface. smooth. cotyledon-color. green. 1000 kernel weight. 351 grams. ( 5 year average) white.(greenish) hilum-floor nolor. Diseases: not susceptible. Fusarium oxysporium f. pisi I resistant. Top yellows. Protein content: on dry matter. 22.9 % 1977 26.0 % 1978 24.1 % 24.8 % 1979 1980

# CEBECO-HANDELSRAAD

#### DESCRIPTION

Requesting authority: Board for the Plant Breeder's Right,

Wageningen

Request number:

L3512 RIVRO

Reporting authority:

Crop:

Pea.

Prel. denomination:

Cebeco 102

Denomination:

DRY SEED:

greyish green, smooth and almost round;

starch granules singular;

100-grain weight about 32 gr.

GRAIN IN GREEN SHELL STAGE: light green.

PLANT:

medium long; the number of the 1st fertile

node is 14-15.

STIPULES:

moderately maculated.

LEAF:

2 or 3 pairs of leaflets; leaflets medium

size, elliptic with rounded top and without

dentation.

FLOWER:

small; base of standard straight or slightly

sinuate; 2 flowers per truss; white.

POD:

length about 8 cm; width about 16 mm; straight or slightly curved; top blunt; light green;

membrane present; predominantly 8 ovules;

mostly 2 pods per truss.

RESISTANCES:

resistant to Fusarium Oxysporum forma pisi

Race 1.

BELONGS TO THE GROUP 2A; being late or mediumlate bush peas with smooth green, in shell stage light-green seeds and blunt pods.

DIFFERENCE WITH CORRESPONDING VARIETIES: The variety most closely resembles Finale, but differs therefrom by taller plants, a somewhat bigger pod with somewhat bigger seeds and 1-2 days later flowering.

# 8000016

#### BESCHRIJVING

Verzoekende instantie : Raad voor het Kwekersrecht, Aanvraag nr.: L 3512

Wageningen.

Rapporterende instantie: RIVRO

Gewas : Erwt

Voorl .aanduiding: Cebeco 102

Benaming

DROOG ZAAD : grijsgroen; glad en ongeveer rond; zetmeelkorrels enkelvoudig; 100-

korrelgewicht ca. 32 gram.

ZAAD in DOPSTADIUM: lichtgroen.

PLANT: middenlang; het nummer van de 1e fertiele knoop is 14-15.

STEUNBLADEN : middelmatig gevlekt.

BLAD : 2-3 jukkig; blaadjes midden groot, elliptisch met afgeronde top en gav

and.

BLOEM: klein; vlagbasis recht of zwak gelobd; 2 bloemen per tros; wit.

PEUL : lengte ca. 8 cm; breedte circa 16 mm; recht of zwak teruggebogen;

top stomp; lichtgroen; vlies aanwezig; overwegend 8 zaadbeginsels;

meestal 2 peulen per tros.

RESISTENTIES: resistent tegen Fusarium oxysporum forma pisi ras 1.

BEHOORT TOT DE GROEP 2A; zijnde late- of middentijdse stamerwten met gladde groenein dopstadium lichtgroene zaden en stompe peulen.

#### VERSCHIL MET OVEREENKOMSTIGE RASSEN:

Het ras komt het meest overeen met 'Finale', doch verschilt daarvan door een hoger gewas, een iets grovere peul met iets grotere zaden en 1-2 dagen latere bloei.

EXHIBIT E

8000016

## Authorizing

By this we authorize: Messrs International Seeds, Inc. P.O. Box 168
Halsey/Oregon

to represent us in the U.S.A. for the variety Cebeco 102 pea and we authorize them specially to act on our behalf for any matters regarding the Plant Variety Protection for this variety.

Rotterdam, August 2 1979

CEBECO-HANDELSRAAD

# CEBECO HANDELSRAAD

P.O. Box 182, 3000 AD Rotterdam, The Netherlands Telephone +31 10-4544911 Telex 21398 cbco nl Fax +31 10-4113889 Bank: Rabobank Nederland, Account number 30.00.00.065 Giro bank account Rabobank 5658 stating 30.00.00.065 Address: Blaak 31, 3011 GA Rotterdam

Registered No. 54.571 Rollerdam

BY AIRMAIL

U.S. Department of Agriculture Plant Variety Rights Office PGGI Building 001, room 335, Barc-West BELTSVILLE Maryland 20705

U.S.A.

Dept:

WVDK/tg

Direct dial number:

ROTTERDAM.

<sup>4544</sup> 504

September 22, 1989

Dear Sir/Madam:

You may already know that the Plant Breeding and Seeds Departments of Cebeco-Handelsraad have integrated into the new company CEBECO ZADEN B.V.

Therefore we kindly request you to transfer all varieties, for which an application has been made or which have been entered in the name of Cebeco-Handelsraad, to the name of CEBECO ZADEN B.V.

For the sake of clarity we give you once more the full address:

CEBECO ZADEN B.V.

P.O. Box 182

3000 AD Rotterdam

the Netherlands.

Under this cover you will find a list in which we mention all varieties involved according to the latest data that we have. We shall be pleased to receive your confirmation of transfer at your earliest convenience. Any possible invoice for charges due can be sent to Cebeco Zaden BV.

Yours faithfully,

CEBECO-HANDELSRAAD

Transferrer

CEBECO ZADEN B.V.

Transferee

Rotterdam,

Rotterdam,

Nationale cooperations and en verkoopvereniging voor land en tuinbouw b.a.
CERBCO-HANDELSRAAD

CERECO ZADEN B.V.
Postose 1886: 5900.AD. Rotterdam

Enclosure



# Varieties of Cebeco Zaden B.V. in the USA

Varieties of Cebeco	Zaden B.V.	111 01-		
<u></u>		with PVP		•
	•		date of grant	no. grant
	variety	name	•	8700077
species		Center	88-01-15	8700011
Red fescue	Center	OCH DE	85-07-26	8300085
	Bellona	Bellona	85-07-26	8300084
Spring barley	Apex	Apex	85-10-31	8500012
· ·	Efron	Efron	10	8100018
	Elka	Elka	82-02-18	
Perennial ryegrass	EIKa		82-10-28	8100054
	Miranda	Miranda Belinda	86-03-31	8500013
White pea	Belinda	Relling	- 00:30	8500014
	Ricardo	Ricardo	85-08-30 83-03-24	8000016
Blue pea	Maxi	Maxi	86-03-31	8500015
	Othello	Othello		
· ·		application	made	
			88-12-19	8900062
: 1 rwegras	s EG 138	Surprise	00 1-	
Perennial ryegras		7 Capitol	10	8900061
Red fescue	Frc 137 CRU 499	Cindy	88-12-19	2.5
**************************************	Frr 13	0 Claudia		
a de la companya de		1110	•	
Kentucky bluegra	ss Pp 112	Amperra	89-1-26	8900081
	1415	· Impala	89-1-20	8900145
White pea	1416	Renata		8800056~
		a Solara	88-01-29	9000030
Blue pea	Solar	a 50142	10 miles	
•			and the second second	



Agricultural Marketing Service Washington, D.C. 20250

September 9, 1983

TO

: Assistant Secretary

FROM

Deputy Administrator

Mullin I would

SUBJECT:

Plant Variety Protection Certificates

The following attached certificates have been prepared for issuance under the Plant Variety Protection Act:

# Certificate No. Applicant 8300033 G. & P. Seed Co., Inc. 8300078 Coker's Pedigreed Seed Company 8300108 G. & P. Seed Co., Inc. 8300112 Delta and Pine Land Company 8300149 G. E. Pogue Seed Co., Inc. 8200100 Midwest Oilseeds, Inc. 8200133 Land O'Lakes, Inc. 8200140 Coker's Pedigreed Seed Companay 8200144 Pioneer Hi-Bred International, Inc. 8200160 Zoecon Corporation \*8000016 Cebeco-Handelsraad \*8100054 Cebeco-Handelsraad

12 Attachments



<sup>\*</sup>These certificates are being reissued to show they have changed to Title V protection. The original dates of issuance are being used.